Amendments to the Claims:

1. (currently amended) A remote meter reading system comprising:

a meter reading system for sending metering information of a subscriber via an infrastructure of a mobile communication system to a remote control system in communication with the meter reading system for collecting the metering information of the subscriber, wherein the meter reading system comprises:

a meter reading unit configured for reading meterage information provided by one or more utility meters, wherein said one or more utility meters are associated with a single utility subscriber such that each utility meter measures the subscriber's usage of one type of utility from among a plurality of utilities used by the subscriber; and

a multiplexer for selecting meterage information provided by a first utility meter from among said one or more utility meters, wherein said selection is based on identification information stored in a first memory as provided in control information provided from the remote control system,

wherein the selected meterage information is transmitted to the remote control system over the mobile communication system.

- 2. (original) The system of claim 1, wherein the metering information is transferred to the remote control system via a short message service (SMS) of the mobile communication system.
- 3. (original) The system of claim 1, wherein the mobile communication network operates based on a code division multiple access (CDMA) technology.
- 4. (currently amended) The system of claim 1, wherein the meter reading system further comprises:

a meter reading unit in communication with at least one utility meter;

a converter unit for converting meterage information provided by <u>one of</u> the utility meters into a digital signal; <u>wherein the [[a]] multiplexer for selecting selects</u> the digital signal;

a second memory for storing output data of the multiplexer; and
a third memory for storing the control information from the remote control system for
controlling the multiplexer's selection.

- (original) The system of claim 4, further comprising:
 a controller for controlling the multiplexer's selection based on number of meters in communication with the meter reading system.
- 6. (original) The system of claim 4, further comprising:
 a processor for generating a short message comprising the digital signal selected by the multiplexer.
- 7. (original) The system of claim 6, further comprising:
 a communication module for communicating the short message to the remote control system through the mobile communication network.
- 8. (original) The system of claim 7, wherein the communication module acts as an interface between the remote control system and the meter reading system to receive a message from the remote control system and transfer it to the processor.
- 9. (original) The system of claim 8, wherein when a message is received from the remote control system, the processor decodes the received message and stores identification information identifying the at least one utility meter.
- 10. (original) The system of claim 9, wherein the controller controls the multiplexer based on the identification information.
- 11. (original) The system of claim 8, wherein the message received from the control system comprises instructions to cut off supply to a subscriber.

- 12. (original) The system of claim 8, wherein the message comprises at least one of: an ID number of a subscriber; an identifier of the utility meter; meter-reading date and time information; and information on failure of the meter and its energy leakage.
- 13. (original) The system of claim 1, wherein the remote control system comprises: a communication module for wirelessly communicating a message with the meter reading system;

a decoder for extracting metering information of a subscriber from the message;
a processor for managing the extracted metering information and generating at least one
control signal for controlling the meter reading system; and

an encoder for generating a short message comprising the control signal and providing the short message to the communication module.

- 14. (original) The system of claim 8, wherein the message comprises at least one of: an ID number of a target subscriber; an identifier identifying a utility meter to be read; time information indicating time for reading the meter; and control information to control supply to the target subscriber.
- 15. (currently amended) A short messaging structure for communicating information between a meter reading system and a remote control system connected in a mobile communication network, the short messaging structure comprising at least one of:

a subscriber number of the meter reading system;
meter ID of a utility meter;
meter reading time for reading a utility meter; and
service control information for supplying utility to the subscriber
wherein the meter reading system comprises:

a meter reading unit configured for reading meterage information provided by one or more utility meters, wherein said one or more utility meters are associated with a single utility subscriber such that each utility meter measures the subscriber's usage of one type of utility from among a plurality of utility types used by the subscriber; and

a multiplexer for selecting meterage information provided by a first utility meter from among said one or more utility meters, wherein said selection is based on identification information stored in a first memory as provided from the remote control system,

wherein the selected meterage information is transmitted to the remote control system over the mobile communication system.

- 16. (original) The short messaging structure of claim 15, wherein the subscriber number identifies a subscribing household to utility services.
- 17. (original) The short messaging structure of claim 15, wherein the meter ID identifies a utility meter utilized to measure usage of utility service provided to a subscriber, identified by the subscriber number.
- 18. (original) The short messaging structure of claim 15, wherein the meter reading time provides a time for reading a utility meter identified by the meter ID.
- 19. (original) The short messaging structure of claim 15, wherein the service control information provides information to limit services provided to a subscriber identified by the subscriber number.
 - 20. (cancel)
- 21. (currently amended) A mobile communication-based remote meter reading method comprising sending metering information of a subscriber from a meter reading system to

a remote control system in communication with the meter reading system via the infrastructure of a mobile communication system, wherein the meter reading system comprises:

a meter reading unit configured for reading meterage information provided by
one or more utility meters, wherein said one or more utility meters are associated with a
single utility subscriber such that each utility meter measures the subscriber's usage of
one type of utility from among a plurality of utility types used by the subscriber; and

a multiplexer for selecting meterage information provided by a first utility meter from among said one or more utility meters, wherein said selection is based on identification information stored in a first memory as provided from the remote control system, wherein said identification information comprises a first identifier identifying the subscriber, and a second identifier identifying a utility type used by the subscriber;

wherein the selected meterage information is transmitted to the remote control system over the mobile communication system.

- 22. (original) The method of claim 21, further comprising transferring the metering information to the remote control system via a short message service (SMS) of the mobile communication system.
- 23. (original) The method of claim 21, wherein the mobile communication network operates based on a code division multiple access (CDMA) technology.
- 24. (original) The method of claim 21, wherein a meter reading unit is in communication with at least one utility meter, the method further comprising: converting meterage information provided by the utility meter into a digital signal; and selecting the digital signal.
- 25. (original) The method of claim 24, further comprising: controlling the selection of the digital signal based on number of meters in communication with the meter reading system.

- 26. (original) The method of claim 24, further comprising: generating a short message comprising the selected digital signal.
- 27. (original) The method of claim 26, further comprising:
 communicating the short message to the remote control system through the mobile
 communication network.
- 28. (currently amended) The method of claim 27, wherein the communication module network acts as an interface between the remote control system and the meter reading system, the method further comprising:

receiving a message from the remote control system and transferring the message it to a processor in the meter reading system.

- 29. (original) The method of claim 28, further comprising: receiving a message from the remote control system; decoding the received message by the processor; and storing identification information identifying the at least one utility meter.
- 30. (original) The method of claim 29, further comprising: controlling the selection of the digital signal based on the identification information.
- 31. (original) The method of claim 28, wherein the message received from the control system comprises instructions to cut off supply to a subscriber.
- 32. (original) The method of claim 28, wherein the message comprises at least one of:

an ID number of a subscriber;
an identifier of the utility meter;
meter-reading date and time information; and
information on failure of the meter and its energy leakage.

- 33. (original) The method of claim 28, wherein the message comprises at least one of:
 - an ID number of a target subscriber; an identifier identifying a utility meter to be read; time information indicating time for reading the meter; and control information to control supply to the target subscriber.
- 34. (currently amended) A remote control system in communication with a meter reading system for collecting the metering information of a subscriber, wherein the meter reading system sends metering information of the subscriber via an infrastructure of a mobile communication system to the remote control system, The method of claim 1, wherein said identification information comprises a first identifier identifying the subscriber, and a second identifier identifying a utility type used by the subscriber;
- 35. (currently amended) The system of claim 34, wherein the metering information is transferred to the remote control system via a short message service (SMS) of the mobile communication system The short messaging structure of claim 15, wherein said identification information comprises a first identifier identifying the subscriber, and a second identifier identifying a utility type used by the subscriber.
- 36. (currently amended) The system of claim 35, wherein the mobile communication network operates based on a code division multiple access (CDMA) technology The method of claim 21, wherein said identification information comprises a first identifier identifying the subscriber, and a second identifier identifying a utility type used by the subscriber.